



BLAST RESISTANT BUILDINGS

Make it happen.

RENTAL EQUIPMENT





**BUILT TO MEET
YOUR SPECIFICATIONS**
THAT'S THE MARK OF TIGER



SCAN to view the
our capabilities video



COMPANY OVERVIEW

Tiger Industrial is a leading provider of rental equipment and services to the upstream, midstream, and downstream energy, chemical, and processing sectors of the industry. We have multiple locations in the US that offer a full range of high-quality equipment for pumping, cleaning, shelter, flooring, and power generation. Our fleet includes blast resistant buildings, heavy duty pumps, portable generators, pressure washers, lighting, and ECOmat™ flooring solutions.

Tiger rents Blast Resistant Buildings (BRB) to provide protection from flames and smoke created by fires, excessive noise, and the blunt force of projectiles that structures may be subjected to as result of explosions or extreme weather. Tiger's buildings can be customized to meet your specific needs. Whether you are looking for an office space, safety command center, decon unit, tool room, multi-bathroom building, Tiger will ensure your blast resistant building is designed to meet your exact specifications.

THE TIGER ADVANTAGE

SAFETY:

- Designed for occupant safety
- Designed to VCE duration requirements
- Design review performed by Qualified Blast Design Engineers

QUALITY:

- Documented welding procedures
- Material traceability
- 3rd party QC inspection reports

DELIVERY:

- Fleet capacity to meet large project schedules
- Rapid deployment
- International logistics experience
- Capabilities to deliver all sizes with either flatbed and rollback

SERVICE:

- 24-hour "on call" customer service
- Staff service technicians
- Service centers

TYPES OF BUILDINGS

STANDARD PRODUCT LINES:

- 6.3 PSI - 8' x 40' and 8' x 20'
- 8.0 PSI - 12' x 40'
- 10.0 PSI - 12' x 40'

Tiger Industrial can customize any building to provide your company with a permanent application, including:

- Multiplex
- Cool Down Buildings
- Bathroom Units
- Men's Multi-Bathroom
- Women's Multi-Bathroom
- Single Bathroom
- Shower Trailers
- Locker Rooms
- Bathroom
- Kitchenettes
- Decon Units
- Tool Rooms
- Offices Units
- Guard Shacks
- Secure Storage Areas
- Bunkhouses
- Safety Compound
- Living Quarters
- Laundry Units
- Outage Housing
- Hurricane Shelters

12' X 40' BLAST RESISTANT BUILDINGS (8.0 PSI)

SIZE	PSI RATING	DURATION	RESPONSE LEVEL
12' x 40'	8.0 PSI	200 MS	MEDIUM
WEIGHT	52,000 LBS		
LIFTING LUGS	(4)		
HVAC *	(1) CENTRAL AIR & HEAT CLASS I DIV I I		
ELECTRICAL *	(1) 240 V, 100 A, Single Phase, Class I Div II - External Electrical Connection		
DOORS/WINDOWS *	(2) BLAST RATED DOORS/ (2) BLAST RATED WINDOWS		
FIRE PROTECTION	(3) Smoke Detectors Located In Interior of Building, Connected to a 6-Zone Fire Panel & (1) Fire Extinguisher		
ANTENNA *	(1) WIRELESS SIGNAL REPEATER WITH ANTENNA		
OUTLETS/PORTS	(10) Duplex Electrical Outlets/ (9) Data Ports & (9) Phone Ports		
PHONES	Data/Phone Connection System – 110 Punch Panel and Cat 5 Patch Panel		

* UPGRADE INCLUDED



12' X 40' BLAST RESISTANT BUILDINGS (10.0 PSI)

SIZE	PSI RATING	DURATION	RESPONSE LEVEL
12' x 40'	10.0 PSI	200 MS	MEDIUM
WEIGHT	55,000 LBS		
LIFTING LUGS	(4)		
HVAC *	(1) CENTRAL AIR & HEAT CLASS I DIV I I		
ELECTRICAL*	(1) 240 V, 100 A, Single Phase, Class I Div II - External Electrical Connection		
DOORS/WINDOWS *	(2) BLAST RATED DOORS/ (2) BLAST RATED WINDOWS		
FIRE PROTECTION	(3) Smoke Detectors Located In Interior of Building, Connected to a 6-Zone Fire Panel & (1) Fire Extinguisher		
ANTENNA *	(1) WIRELESS SIGNAL REPEATER WITH ANTENNA		
OUTLETS/PORTS	(10) Duplex Electrical Outlets/ (9) Data Ports & (9) Phone Ports		
PHONES	Data/Phone Connection System – 110 Punch Panel and Cat 5 Patch Panel		

* UPGRADE INCLUDED



8' X 40' BLAST RESISTANT BUILDINGS



SIZE	PSI RATING	DURATION	RESPONSE LEVEL
8' x 40'	6.3 PSI	800 MS	MEDIUM
8' x 40'	8.0 PSI	42.5 MS	MEDIUM
WEIGHT	22,000 LBS		
LIFTING LUGS	(4)		
HVAC	18,000 BTU Units, Non-Classified Electrical Insulated		
ELECTRICAL	(1) 240 V, 100 A, Single Phase, Non-Classified Electrical		
DOORS	(2) Blast Rated Doors		
WINDOWS *	(2) BLAST RATED WINDOWS		
FIRE PROTECTION	(2) Smoke Detectors & (1) Fire Extinguisher		
OUTLETS	(6) Duplex Electrical Outlets		
PORTS	(3) Data Ports & (3) Phone Ports		

* UPGRADE INCLUDED



8' X 40' BLAST RESISTANT TOOL ROOM

SIZE	PSI RATING	DURATION	RESPONSE LEVEL
8' x 40'	6.3 PSI	800 MS	MEDIUM
8' x 40'	8.0 PSI	42.5 MS	MEDIUM



*Layout in drawing shown may vary in Tool Rooms.



MULTI-PLEX BUILDINGS

8' x 40' MULTI-PLEX BUILDINGS

SIZE	PSI RATING	DURATION	RESPONSE LEVEL
8' x 40'	8 PSI	200 MS	MEDIUM
WEIGHT	15,000 LBS (Per Single Unit)		
LIFTING LUGS	4 (Per Single Unit)		
HVAC	(2) 18,000 BTU Units, Non-Classified Electrical (Per Single Unit)		
ELECTRICAL	Duplex Electrical Outlets, (1) 240 V, 100 A, Single Phase, Non-Classified Electrical		
DOORS/WINDOWS *	(4) BLAST RATED DOORS (PER COMPLETE UNIT)		
FIRE PROTECTION	Smoke Detectors, Fire Extinguishers and (4) Emergency Exit Lights (per complete unit)		
OUTLETS/PORTS/PHONES	Data/Phone Ports		
OTHER	Fold Down Weather Heads and LED Lights		

As a standard in all single wide buildings, our multiplex units do not have windows.

* UPGRADE INCLUDED



8' X 40' MULTI-BATH UNITS


SIZE	PSI RATING	DURATION	RESPONSE LEVEL
8' x 40'	6.3 PSI	800 MS	MEDIUM
8' x 40'	8.0 PSI	42.5 MS	MEDIUM



8' X 20' BLAST RESISTANT BUILDINGS

SIZE	PSI RATING	DURATION	RESPONSE LEVEL
8' x 20' x 8'6"	6.3 PSI	800 MS	MEDIUM
8' x 20' x 8'6"	8.0 PSI	42.5 MS	MEDIUM
WEIGHT	15,000 LBS		
LIFTING LUGS	(4)		
HVAC	(1) HVAC – Unit, Non-Classified Electrical Insulated		
ELECTRICAL	(1) 240 V, 100 A, Single Phase, Non-Classified Electrical		
DOORS/WINDOWS *	(2) BLAST RATED DOORS/ (1) BLAST RATED WINDOWS		
FIRE PROTECTION	(2) Smoke Detectors & (1) Fire Extinguisher		
OUTLETS/PORTS	(3) Duplex Electrical Outlets/ (2) Data Ports & (2) Phone Ports		

* UPGRADE INCLUDED



OPTIONAL BRB ACCESSORIES

TYPES OF ACCESSORIES

All buildings are furnished with fire extinguishers and have 24 Hour Technical Support and Services.

- Desks
- Office Chairs
- Plastic Folding Tables
- Plastic Folding Chairs
- Cork Boards
- Dry Erase Boards
- Microwaves
- Large Tub Sink
- Heavy Duty Industrial Shelving Units
- Lockers
- Showers
- Generators
- Cellular Repeaters
- Class 1 Div 2 A/C for 8' x 40' and 8' x 20'
- 24/7 Technical Support and Service
- 480 V Transformers

PLASTIC FLOATING TABLE AND CHAIRS



CONFERENCE TABLES



DESK



Tiger is the ONLY rental service provider that has blast rated windows as a standard in all single wide building sizes.

Blast-resistant windows are a key factor in mitigating unnecessary injuries in the event of an explosion or severe weather.

For every day use, blast-resistant windows provide natural light which can improve your health, attitude and mind-set resulting in a more productive workplace.

With Tiger, you get protection, productivity and reliability. Put YOUR safety first with Tiger Industrial's blast resistant buildings!



SAFER | MAXIMUM DURABILITY | LONG LASTING

ECOmats™ stay on the job longer and saves both replacement and transport costs. Able to haul up to 15/16 ECOMats™ per load. That means fewer trips, fewer trucks, fewer drivers, a lot less fuel and a lot more savings.

▶ TECHNICAL DATA

L X W X H	8' X 16' X 4"
SQUARE FOOTAGE	128 sf
WEIGHT	3,000 lbs
PSI	3,910
CONNECTING	Directly
LINEAR FT/TRUCK	112
MATS/TRUCK	14-15
CONSTRUCTION	HDPE+



▶ ADVANTAGES

- Maximum Durability
- Extreme Life
- Very Contractor Friendly
- Fast & Easy to Lay
- Traceable with RFID Chip
- Unbeatable High PSI
- Traction
- No Nails
- No Cable Loops
- No Pinning Required
- Flame Spread Rated
- No Absorption & Won't Float
- Repairable

RELIABLE MATTING SOLUTIONS

Tiger's T&D Mats are a great solution for tank farm temporary roadways. Our composite mats are durable, heavy-duty and reliable for temporary roadways providing stability for vehicles and equipment.

▶ TECHNICAL DATA

L X W X H	7.5' X 14' X 4"
SQUARE FOOTAGE	105 sf
WEIGHT	3,000 lbs
CONNECTING	None
CONSTRUCTION	Recycled Rubber Tires
MATS/TRUCK	15



▶ ADVANTAGES

- Tiger's T&D Mats are an excellent replacement for 3-ply wood laminate mats
- No rot, no gaps, and no nails
- Very uniform surface
- Safer
- Easy handling
- Able to transport 15 mats per truck load
- Flexible to conform to ground conditions
- Resilient to absorbing liquids
- Traction control
- Environmentally friendly
- A single mat is made from approximately 165 recycled rubber tires



GENERATORS

GENERATORS

25 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H		10' X 5' X 5'	
WEIGHT		2,200 LBS	
STANDBY OUTPUT		22 KW	
PRIME OUTPUT		20 KW	
FUEL CAP		42 GAL	
RUN TIME		30 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	55 AMPS	FULL LOAD	1.65 GPH
1PH 240V	27 AMPS	3/4 LOAD	1.30 GPH
3PH 240V	60 AMPS	1/2 LOAD	0.90 GPH
3PH 480V	30 AMPS		



125 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H		12' X 6' X 8'	
WEIGHT		6,900 LBS	
STANDBY OUTPUT		110 KW	
PRIME OUTPUT		100 KW	
FUEL CAP		169 GAL	
RUN TIME		24 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	277 AMPS	FULL LOAD	7.30 GPH
1PH 240V	139 AMPS	3/4 LOAD	5.70 GPH
3PH 240V	300 AMPS	1/2 LOAD	4.00 GPH
3PH 480V	150 AMPS		



45 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H		12' X 6' X 8'	
WEIGHT		2,940 LBS	
STANDBY OUTPUT		37 KW	
PRIME OUTPUT		36 KW	
FUEL CAP		30 GAL	
RUN TIME		22 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	100 AMPS	FULL LOAD	3.10 GPH
1PH 240V	50 AMPS	3/4 LOAD	2.20 GPH
3PH 240V	108 AMPS	1/2 LOAD	1.60 GPH
3PH 480V	54 AMPS		



150 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H		12' X 6' X 8'	
WEIGHT		9,278 LBS	
STANDBY OUTPUT		132 KW	
PRIME OUTPUT		120 KW	
FUEL CAP		214 GAL	
RUN TIME		25 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	333 AMPS	FULL LOAD	8.40 GPH
1PH 240V	166 AMPS	3/4 LOAD	6.50 GPH
3PH 240V	361 AMPS	1/2 LOAD	4.90 GPH
3PH 480V	180 AMPS		



85 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H		12' X 6' X 8'	
WEIGHT		5,000 LBS	
STANDBY OUTPUT		70 KW	
PRIME OUTPUT		66 KW	
FUEL CAP		127 GAL	
RUN TIME		22 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	188 AMPS	FULL LOAD	5.50 GPH
1PH 240V	95 AMPS	3/4 LOAD	3.80 GPH
3PH 240V	204 AMPS	1/2 LOAD	2.60 GPH
3PH 480V	102 AMPS		



220 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H		16' X 6' X 8'	
WEIGHT		6,900 LBS	
STANDBY OUTPUT		194 KW	
PRIME OUTPUT		176 KW	
FUEL CAP		214 GAL	
RUN TIME		21 HRS	
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	488 AMPS	FULL LOAD	13.60 GPH
1PH 240V	244 AMPS	3/4 LOAD	10.40 GPH
3PH 240V	529 AMPS	1/2 LOAD	7.70 GPH
3PH 480V	264 AMPS		



GENERATORS & TANKS

I LINE PANELS & LIGHT TOWERS

300 KVA PORTABLE GENERATOR			
SPECIFICATIONS			
L X W X H	16' X 6' X 11'		
WEIGHT	13,000 LBS		
STANDBY OUTPUT	264 KW		
PRIME OUTPUT	240 KW		
FUEL CAP	300 GAL		
RUN TIME	21 HRS		
AMP DRAW		FUEL CONSUMPTION	
1PH 120V	667 AMPS	FULL LOAD	15 GPH
1PH 240V	333 AMPS	3/4 LOAD	14 GPH
3PH 240V	722 AMPS	1/2 LOAD	11 GPH
3PH 480V	361 AMPS		



360 KW PORTABLE NATURAL GAS GENERATOR	
SPECIFICATIONS	
PRIME OUTPUT	360 KW
GAS CONSUMPTION	101 MCF/Day
PROPANE CONSUMPTION	936 GAL/Day
AMP DRAW	
3PH 480V	542 AMPS



528 GALLON DOUBLE WALL FUEL TANK	
SPECIFICATIONS	
L X W X H	87" x 46" x 52"
SECONDARY CONTAINMENT	110%
INTERNAL Baffles	Yes
WEIGHT EMPTY / FULL	1,825 LBS / 5,574 LBS
OPTIONAL ACCESSORIES	
TANDEM TRAILER	16'
FUEL PUMP	110V
FUEL PUMP & SOLAR PANEL	12V
ADDITIONAL FEATURES	
Includes secure hose access, full load lifting eyes, tie down points, direct to machinery fuel ports	



LED PORTABLE LIGHT TOWER	
L X W X H	716" x 98" x 348"
WEIGHT	1,720 LBS
FUEL CAP	30 GAL
RUN TIME	50 HR
LUMENS	542,000
STABILIZER	Four-Point Outrigger System
<ul style="list-style-type: none"> • SHO-HD® Lamp Fixture – 4 Metal Halide Lamps Only • SLS™ Sequenced Light System™ • Gull-Wing Style Doors –Reaction injection molded doors providing strength and corrosion resistance • Forklift Pockets and Lifting Eye • 30 Gallon Polyethylene Fuel Tank • Four-Point Outrigger System • GPS Ready • 59° Fixture Rotation • 55 MPH Operating Wind Speed Rating 	



I LINE PANEL





BRB CENTRAL & STORAGE FACILITY

BEAUMONT, TEXAS

1313 Gulf Street
Beaumont, TX 77701

SERVICE FACILITIES

HOUSTON, TEXAS

7000 Decker Dr.
Baytown, TX 77520

CORPUS CHRISTI, TEXAS

8283 Leopard St.
Corpus Christi TX 78409

ODESSA, TEXAS

13014 West County Road
100, Odessa, TX 79765

VICTORIA, TEXAS

11901 US Highway 59,
N. Victoria, TX 77905

DILLEY, TEXAS

13400 S. Interstate 35
Dilley, TX 78017

24/7 Dispatch: 888-866-0047 / 409-832-9336 / TigerIndustrialRentals.com



Scan to view Tiger's capabilities video >

